



MR. RESISTOR[®]
Lighting Specialist Est. 1968

CIRCLE PENDANT SYSTEM

LED LIGHTING



CIRCLE PENDANT SYSTEM

LED LIGHTING

Series of circular suspension lamps for diffused light (LED). Available in six diameters, the lamp structure is composed of an extruded aluminum profile with opal polycarbonate diffuser.

The LED driver is located inside the canopy. Available in a large range of finishes. A uniform light is directed inside the circle.

The Circle pendant System can be installed as an individual chandelier suspended above tables or reception desks but also in groups to create modern lighted compositions suitable to fill even spaces of big dimension.

The Circle pendant System is dimmable, using either standard mains voltage, Dali, 1-10V or wireless controls.





CIRCLE PENDANT SYSTEM

FINISHES



01 White



02 Black



25 Satin Gold



31 Chrome



75 Decor Silver



76 Decor Gold




77 Decor Copper




78 Decor Bronze






Compositions with multiple ceiling attachments



Single lamp cable kit

0991/A

3 Stell cables 2mt.
3 Element for cable fixing.
3 Suspension clips.



Lamps


LED source 24V-18W/mt

Code	Ø cm	Watt	Finishes	LED colour		LED colour		LED colour	
				2700K	Lm	3000K	Lm	4000K	Lm
CIRCA1566	50	27	/01 White	XW	3225	WW	3600	W	3750
CIRCA1566	50	27	/02 Black	XW	3225	WW	3600	W	3750
CIRCA1566	50	27	/25 Satin gold	XW	3225	WW	3600	W	3750
CIRCA1566	50	27	/31 Chromed	XW	3225	WW	3600	W	3750
CIRCA1566	50	27	/75 Decor silver	XW	3225	WW	3600	W	3750
CIRCA1566	50	27	/76 Decor gold	XW	3225	WW	3600	W	3750
CIRCA1566	50	27	/77 Decor copper	XW	3225	WW	3600	W	3750
CIRCA1566	50	27	/78 Decor bronze	XW	3225	WW	3600	W	3750
CIRCA1562	70	37,5	/01 White	XW	4479	WW	4958	W	5000
CIRCA1562	70	37,5	/02 Black	XW	4479	WW	4958	W	5000
CIRCA1562	70	37,5	/25 Satin gold	XW	4479	WW	4958	W	5000
CIRCA1562	70	37,5	/31 Chromed	XW	4479	WW	4958	W	5000
CIRCA1562	70	37,5	/75 Decor silver	XW	4479	WW	4958	W	5000
CIRCA1562	70	37,5	/76 Decor gold	XW	4479	WW	4958	W	5000
CIRCA1562	70	37,5	/77 Decor copper	XW	4479	WW	4958	W	5000
CIRCA1562	70	37,5	/78 Decor bronze	XW	4479	WW	4958	W	5000
CIRCA1563	100	54	/01 White	XW	6450	WW	7140	W	7200
CIRCA1563	100	54	/02 Black	XW	6450	WW	7140	W	7200
CIRCA1563	100	54	/75 Decor silver	XW	6450	WW	7140	W	7200
CIRCA1563	100	54	/76 Decor gold	XW	6450	WW	7140	W	7200
CIRCA1563	100	54	/77 Decor copper	XW	6450	WW	7140	W	7200
CIRCA1563	100	54	/78 Decor bronze	XW	6450	WW	7140	W	7200
CIRCA1564	150	81	/01 White	XW	9675	WW	10710	W	10800
CIRCA1564	150	81	/02 Black	XW	9675	WW	10710	W	10800
CIRCA1564	150	81	/75 Decor silver	XW	9675	WW	10710	W	10800
CIRCA1564	150	81	/76 Decor gold	XW	9675	WW	10710	W	10800
CIRCA1564	150	81	/77 Decor copper	XW	9675	WW	10710	W	10800
CIRCA1564	150	81	/78 Decor bronze	XW	9675	WW	10710	W	10800



Electric cable length 250cm


Compositions with single ceiling attachments (max 3 lamps)



3 lamps cable kit

0991/B

- 3 Stell cables 4mt.
- 1 Displacement element for cable fixing.
- 3 Suspension clips.




Ceiling roses


Dimming


Ceiling rose with converters 60W

		240V	50/60Hz 220-240V -60W	0,60 kg
0990/60	/01 White	/M		
0990/60	/02 Black	/M		
0990/60	/25 Satin gold	/M		
0990/60	/31 Chromed	/M		
0990/60	/75 Decor silver	/M		
0990/60	/76 Decor gold	/M		
0990/60	/77 Decor copper	/M		
0990/60	/78 Decor bronze	/M		





Ceiling rose with converters 100W

		240V		50/60Hz 220-240V -100W	1,30 kg
0990/100	/01 White	/M	/D		
0990/100	/02 Black	/M	/D		
0990/100	/25 Satin gold	/M	/D		
0990/100	/31 Chromed	/M	/D		
0990/100	/75 Decor silver	/M	/D		
0990/100	/76 Decor gold	/M	/D		
0990/100	/77 Decor copper	/M	/D		
0990/100	/78 Decor bronze	/M	/D		





Ceiling rose with converters 150W


		240V		50/60Hz 220-240V - 150W	1,30 kg
0990/150	/01 White	/M	/D		
0990/150	/02 Black	/M	/D		
0990/150	/25 Satin gold	/M	/D		
0990/150	/75 Decor silver	/M	/D		
0990/150	/31 Chromed	/M	/D		
0990/150	/76 Decor gold	/M	/D		
0990/150	/77 Decor copper	/M	/D		
0990/150	/78 Decor bronze	/M	/D		



Ceiling rose with converters 200W

		240V		50/60Hz 220-240V - 2x100W	1,70 kg
0990/200	/01 White	/M	/D		
0990/200	/02 Black	/M	/D		
0990/200	/25 Satin gold	/M	/D		
0990/200	/75 Decor silver	/M	/D		
0990/200	/76 Decor gold	/M	/D		
0990/200	/77 Decor copper	/M	/D		
0990/200	/78 Decor bronze	/M	/D		





CIRC A1575 3,00 kg

- /01 White
- /02 Black

W LED 60W 6696lm 4000K

WW LED 60W 6320lm 3000K

XW LED 60W 5950lm 2700K




CIRC A1576 5,00 kg

- /01 White
- /02 Black

W LED 90W 10360lm 4000K






WW LED 90W 9480lm 3000K

XW LED 90W 8920lm 2700K



Assembly scheme

The lamp is supplied in 4 separate sectors to be assembled during installation



The image shows the interior of a rustic building. A prominent feature is a wall made of large, grey, irregular stones. The ceiling is made of dark wood with visible beams. A modern, circular light fixture with a glowing orange ring is suspended from the ceiling. The lighting is warm and focused on the stone wall. The overall atmosphere is cozy and modern.

020 8874 2234 | info@mr-resistor.co.uk

19 - 23 Lydden Road, Wandsworth, London, SW18 4LT, United Kingdom

www.mr-resistor.co.uk