BELLlighting

Spectrum

LED Emergency IP65 Twin Spot

Spectrum 12W LED IP65 Emergency Twin Spot - Non-Maintained - Select Self-Test or Manual Emergency Mode

Part Code: 09088V2

The Spectrum IP65 Twin Spot is IP65 as standard. Supplied as both Self Test & Non Self Test, with 20mm side & rear entry and a 5 year guarantee.

- Selectable Self Test or Manual Emergency Mode
- Long life & low maintenance
- Compact design & robust construction
- 20mm Side & rear entry
- IP65





Guarantee











Email: technical@belllighting.co.uk **Telephone:** 01924 893380

www.belllighting.co.uk

BELLlighting

Spectrum


LED Emergency IP65 Twin Spot




Product Category	Emergency Lighting / Emergency Lighting
Application	Emergency Lighting
Product Warranty	5 Years
EAN	5013588900087
Commodity Code	8513100000
Country of Origin	CN

Technical Specification		
Watts (W)	12	
Equivalent Watts (W)	12	
Volts (V)	220/240	
Colour Temp (K)	6500	
Lumens (lm)	550	
Lumens per Watt (lm/W)	46	
Candelas (cd)	340	
CRI (ra)	80	
Frequency (Hz)	50/60	
LED Drive Current	1200mA	
Energy Consumption (kWh/1000h)	12	
Life Hours	30000	
Switching Cycles	15000	
Impact Protection	IK6	
IP Rating	IP65	

Packaging Information		
Height (mm)	247	
Width (mm)	226	
Depth (mm)	79	
Individual Product Weight (kg)	0.75	
Single Carton Height (mm)	265	
Single Carton Width (mm)	242	
Single Carton Depth (mm)	87	
Single Carton Weight (kg)	0.76	
Individual Volume	0.00558	
Outer Box Qty	10	
Outer Carton Barcode	09088V2000010	
Outer Box Height (mm)	500	
Outer Box Width (mm)	455	
Outer Box Depth (mm)	285	
Outer Box Weight (kg)	9	
Outer Box Volume	0.06484	
Plastic Packaging Weight (kg)	0.01	





Email: technical@belllighting.co.uk **Telephone:** 01924 893380

www.belllighting.co.uk

BELLlighting

Spectrum

LED Emergency IP65 Twin Spot

Additional Information		
Beam Angle	120°	
Power Factor	0.65	

Email: technical@belllighting.co.uk **Telephone:** 01924 893380

www.belllighting.co.uk