

# GLOBE

Outdoor Lighting Catalogue



**MR. RESISTOR®**  
Lighting Specialist Est. 1968











# GLOBE

## Outdoor Lighting Catalogue

---


Globes	<b>01</b>
Globe Accessories	<b>02</b>
Globe Posts	<b>03 - 04</b>
Globe & Base	<b>05</b>
Globe Wall	<b>06 - 07</b>
Globe Spikes	<b>08 - 10</b>
Light Bulbs	<b>11</b>

# Globe

240V ES/E27 IP44



The Globe fitting is made from moulded and blown PMMA acrylic and comes in four different finishes: clear, smoked (a transparent brown finish), opal (opaque white) and metallic (half clear and half mirrored to reflect light downwards and reduce light pollution). It can be used on its own or combined with a variety of accessories.



Diameter	Base	Wattage	Clear Code	Opal Code	Smoked Code	Crown Silver Code
200	99	40W	ART1010201 CLEAR	ART1010202 OPAL	ART1010203 SMOKE	-
250	118	100W	ART1010251 CLEAR	ART1010252 OPAL	ART1010253 SMOKE	ART101025111 MET
300	139	150W	ART1010301 CLEAR	ART1010302 OPAL	ART1010303 SMOKE	ART101030111 MET
400	178	150W	ART1010461 CLEAR	ART1010462 OPAL	ART1010463 SMOKE	ART101046111 MET
500*	230	150W	ART1000501 CLEAR	ART1000502 OPAL	-	-

\*Globe 500mm requires the globe refractor base

For light bulbs see **page 11**



# Globe Accessories

## (A) Posts



Height	Clear Code
80	<b>ART160180 *80MM*</b>
95	<b>ART160180 *95MM*</b>
800	<b>ART160080</b>
1200	<b>ART160120</b>
1800	<b>ART160180</b>

## Globe Refractor

The Globe Refractor is for use with 400mm & 500mm Globe fittings to refract the light.



Code : **ART160924**

## Globe Refractor Base

Base required in conjunction with the Globe Refractor.



40mm Globe Code : **ART1010-40**  
50mm Globe Code : **ART1010-50**

## (B) Post Base



Code : **ART160900**

## (D) Globe Post Head Single Arm



Code : **ART160901**

## (F) Globe Post Head Double Arm



Code : **ART160902**

## (H) Globe Post Head Triple Arm



Code : **ART160903**

## (C) Globe Arm



Code : **ART125001 BLK**

## (E) Globe Through Post Single Arm



Code : **ART160911**

## (G) Globe Through Post Double Arm



Code : **ART160912**

## (I) Globe Through Post Triple Arm




Code : **ART160913**



# Globe Post Single

Option 1



# Globe Post Single Arm


Option 2





# Globe Post Double Arm

Option 3



# Globe Post Triple Arm

Option 4






# Globe & Base

240V ES/E27 100W IP44

The Globe & Base consists of a moulded and blown PMMA acrylic globe and a thermoplastic base which together make up a complete post fitting. Rated IP44 this outdoor fitting is designed to be weather resistant and durable.



black  
ART119251 BLK




white  
ART119254 WHI



# Globe Wall Small

240V ES/E27 100W IP44

The Globe wall small lantern fitting consists of a PMMA acrylic globe and a thermoplastic arm bracket for wall mounting. Being IP44 rated it can be used outside to light gardens, driveways or patios.



black arm, clear  
ART120023

white arm, clear  
ART120020



black arm, opal  
ART120024

white arm, opal  
ART120021



black arm, smoked  
ART120025


white arm, smoked  
ART120022



# Globe Wall Large

240V ES/E27 100W IP44

The Globe wall large lantern fitting consists of a PMMA acrylic globe and a thermoplastic arm bracket for wall mounting. Being IP44 rated it can be used outside to light gardens, driveways or patios.



black arm, clear  
ART125253

white arm, clear  
ART125250



black arm, opal  
ART125254

white arm, opal  
ART125251



black arm, smoked  
ART125255

white arm, smoked  
ART125252

For light bulbs see **page 11**








# Globe Spike Small

240V ES/E27 100W IP44

The Globe spike lantern fitting consists of a PMMA acrylic globe and a thermoplastic spike for inserting into the ground. Being IP44 rated it can be used outside to light gardens.



black spike, clear  
GS25 CLEAR



black spike, opal  
GS25 OPAL



black spike, smoked  
GS25 SMOKE




black spike, crown silver  
GS25 METAL

For light bulbs see **page 11**

# Globe Spike Large

240V ES/E27 100W IP44

The Globe spike lantern fitting consists of a PMMA acrylic globe and a thermoplastic spike for inserting into the ground. Being IP44 rated it can be used outside to light gardens.



black spike, clear  
GS300 CLEAR



black spike, opal  
GS300 OPAL



black spike, smoked  
GS300 SMOKE



black spike, crown silver  
GS300 METAL



# Light Bulbs

ES LED 810lm (=60W)



Code : **LEDGLS 8WES**

LED Carbon Filament  
60mm ES 6W 2100K  
(=60W)



Code : **VB002 GLS6WES**

LED Carbon Filament  
35mm 2700K ES 6W  
(=60W)



Code : **VB020 CAGE6WES**

LED Carbon Filament  
95mm 2700K ES 6W  
(=60W)



Code : **VB008 95MM6WES**

LED Flame Effect Lamp



Code : **VIVID FLAME CLR**







19 - 23 Lydden Road,  
Wandsworth,  
London SW18 4LT  
United Kingdom

020 8874 2234 | [info@mr-resistor.co.uk](mailto:info@mr-resistor.co.uk)

---

[www.mr-resistor.co.uk](http://www.mr-resistor.co.uk)