# LED UPLIGHT & FLOODLIGHT Outdoor Lighting Catalogue







# LED UPLIGHT & FLOODLIGHT

Outdoor Lighting Catalogue

Outdoor LED uplights and floodlights are ideal for lighting, trees, buildings, walls, patios and driveways. This Catalogue shows some of our most powerful uplights and floodlights, which can be used for commercial and residential projects.

LED Uplights **01 - 02** 

LED Floodlights 03 - 08

# **LED Fixed Uplights**

### LED Architectural Uplight 16w


### LED Architectural Uplight 26w






3000k Warm White, 10°: HLE06301 10D W/W 4000k Cool White, 10°: HLE06301 10D C/W 3000k Warm White, 45°: HLE06301 45D W/W 4000k Cool White, 45°: HLE06301 45D C/W

3000k Warm White, 45°: HLE06401 45D W/W 4000k Cool White, 45°: HLE06401 45D C/W





# LED Architectural Uplight 16w

Input	Lumens	Description	Material	IP
240V	1100lm	16W LED Recessed Uplight	Die casting aluminium and glass	IP67

## LED Architectural Uplight 26w

Input	Lumens	Description	Material	IP
240V	1750lm	26W LED Recessed Uplight	Die casting aluminium and glass	IP67

# **LED Adjustable Uplights**

LED Adjustable Uplight 16w

LED Adjustable Uplight 25w







3000k Warm White, 36°: GE07101 UPLIGHT

3000k Warm White, 36°: GE07201 UPLIGHT

15° Verticle Tilt



15° Verticle Tilt



# LED Adjustable Uplight 16w

Input	Lumens	Description	Material	IP
240V	1300 lm	16W LED Recessed Uplight 15° Verticle Tilt	Die casting aluminium and glass	IP67

## LED Adjustable Uplight 25w

Input	Lumens	Description	Material	IP
240V	1750 lm	25W LED Recessed Uplight 15° Verticle Tilt	Die casting aluminium and glass	IP67




# LED Architectural Square 48W




LED Nightstar 90W



Black 10°: FB21201 WW



Black 16°: NIGHTSTAR 90042W



LED Adjustable Square 48W

Input	Lumens	Colour Temp	Description	Material	IP
240V	3500 lm	3000K Warm White	48W LED Floodlight, 10° Beam Angle	Aluminum / Toughened Glass	IP65

# LED Nightstar 90W

Input	Lumens	Colour Temp	Description	Material	IP
240V	6500 lm	3000K Warm White	90W LED Floodlight, 16° Beam Angle	Aluminum / Toughened Glass	IP65

LED Lito 16W









Black: LITO 230 BLACK

Black: LEDFLOODN10 3 BL





### LED Lito 16W

Input	Lumens	Colour Temp	Description	Material	IP
240V	2000 lm	3000K Warm White	19W LED Floodlight, surface mounted or spike	Aluminum / Toughened Glass	IP66

# LED Floodlight 10W

Input	Lumens	Colour Temp	Description	Material	IP
240V	700 lm	3000K Warm White	10W LED Floodlight	Aluminum / Toughened Glass	IP65


LED Floodlight 20W




LED Floodlight 30W



Black: LEDFLOODN20 3 BL



Black: LEDFLOODN30 3 BL



LED Floodlight 20W

Input	Lumens	Colour Temp	Description	Material	IP
240V	1500 lm	3000K Warm White	20W LED Floodlight	Aluminum / Toughened Glass	IP65

# LED Floodlight 30W

Input	Lumens	Colour Temp	Description	Material	IP
240V	2250 lm	3000K Warm White	30W LED Floodlight	Aluminum / Toughened Glass	IP65


LED Floodlight 50W




LED Floodlight 80W



Black: LEDFLOODN50 3 BL



Black: LEDFLOODN80 3 BL



LED Floodlight 50W

Input	Lumens	Colour Temp	Description	Material	IP
240V	3750 lm	3000K Warm White	50W LED Floodlight	Aluminum / Toughened Glass	IP65

# LED Floodlight 80W

Input	Lumens	Colour Temp	Description	Material	IP
240V	6000 lm	3000K Warm White	80W LED Floodlight	Aluminum / Toughened Glass	IP65

# **LED Floodlights Accessories**

### LED Floodlight Spikes



### LED Floodlight Arms



Small Spike : LEDFL SPIKE SML

Compatible with; LEDFLOODN10 3 BL

LEDFLOODN20 3 BL

Large Spike : LEDFL SPIKE LRG

Compatible with;

LEDFLOODN30 3 BL

LEDFLOODN50 3 BL

LEDFLOODN80 3 BL

Medium Arm : LEDFL BRFLACB150

Compatible with;

LEDFLOODN10 3 BL

LEDFLOODN20 3 BL

Large Arm : LEDFL BRFLACB250

Compatible with;

LEDFLOODN30 3 BL

LEDFLOODN50 3 BL

LEDFLOODN80 3 BL

### Honeycomb Filter



Large Spike: 28-4019-30

Compatible with; LITO 230 BLACK

19 - 23 Lydden Road, Wandsworth, London SW18 4LT United Kingdom

020 8874 2234 | info@mr-resistor.co.uk

www.mr-resistor.co.uk