





MR. RESISTOR[®]
Lighting Specialist Est. 1968

LASER TRACK

*The Ultra Slim,
48V LED Magnetic
Track System*



1 Laser Track




LASER TRACK

Introducing Laser Track: the cutting-edge surface-mounted LED track system, powered by 48V technology. With its sleek and slender 6mm depth, Laser Track offers a seamlessly minimalistic aesthetic that enhances any space. The diverse range of joints available provides unparalleled flexibility, enabling you to effortlessly run the track along ceilings and down walls in any desired direction.

Installation is a breeze – simply click the sections together and attach the power feed. We offer an array of LED fixtures, each designed to deliver a unique lighting effect tailored to various tasks. Thanks to the ingenious magnetic fittings, your light fixtures can be easily repositioned on the track, allowing you the freedom to modify your lighting arrangement or explore new schemes at any time.



6mm
Depth






The flexible LED track system


The Laser track system enables you to effortlessly combine a variety of LED fixtures on a single track, granting you ultimate flexibility in lighting design. With simple magnetic fittings, you can place the fixtures wherever you please, eliminating the need for an electrician's involvement. The system boasts an extensive selection of LED fixtures, enabling you to craft impactful and customized lighting schemes for any space.




INSTALLING SURFACED LASER TRACK




INSTALLING LASER TRACK SWITCHING TRANSFORMER



INSTALLING LASER TRACK REMOTE TRANSFORMER




The maximum length from the remote LED Driver to the Laser Track is 10 metres





The maximum length of Laser Track is 10 metres


LASER SURFACED TRACK




Order Number	Length	Voltage
○ LAS10118-1M WH	1000mm	48V
● LAS10118-1M BLK	1000mm	48V
○ LAS10118-2M WHT	2000mm	48V
● LAS10118-2M BLK	2000mm	48V




Two track splicing



Corner splicing



T-Joint



Rail cross splicing

ACCESSORIES

Power Feed



- LAS10127 WHT
- LAS10127 BLK

Cable Box



- LAS10121 WHT
- LAS10121 BLK

'I' Horizontal Joint




- LAS10123 WHT
- LAS10123 BLK

'L' Horizontal Corner Joint




- LAS10124 WHT
- LAS10124 BLK

'T' Horizontal Corner Joint



- LAS10125 WHT
- LAS10125 BLK

'+' Horizontal Corner Joint



- LAS10126 WHT
- LAS10126 BLK

'L' Vertical Corner Joint



- LAS10122 WHT
- LAS10122 BLK

LED Driver Switching Surface track 48V



- 48V 100W
- LAS10120-100W WH
- LAS10120-100W BL
- 48V 200W
- LAS10120-200W WH
- LAS10120-200W BL

LED Remote Driver 100W Remote 48V



- DIMDRIV2 48V100W


LED Remote Driver 100W Remote 48V



- DIMDRIV2 48V150W


LASER LED FITTINGS






LASER LED FITTINGS

Short Spotlight



Order Number	Wattage	Voltage	Lumen	Beam Angle	Colour Temp	CRI
○ LAS10067 WHT	9W	48V	720lm	24°	3000K	90+
● LAS10067 BLK	9W	48V	720lm	24°	3000K	90+


Slim Spotlight



Order Number	Wattage	Voltage	Lumen	Beam Angle	Colour Temp	CRI
○ LAS10023 WHT	4.5W	48V	240lm	15°	3000K	90+
● LAS10023 BLK	4.5W	48V	240lm	15°	3000K	90+


LASER LED FITTINGS

Long Spotlight



Order Number	Wattage	Voltage	Lumen	Beam Angle	Colour Temp	CRI
○ LAS10069 WHT	18W	48V	1440lm	24°	3000K	90+
● LAS10069 BLK	18W	48V	1440lm	24°	3000K	90+


Adjustable Beam Short Spotlight



Order Number	Wattage	Voltage	Lumen	Beam Angle	Colour Temp	CRI
○ LAS10073 WHT	7W	48V	560lm	15-55°	3000K	90+
● LAS10073 BLK	7W	48V	560lm	15-55°	3000K	90+


LASER LED FITTINGS

Adjustable Beam Long Spotlight



Order Number	Wattage	Voltage	Lumen	Beam Angle	Colour Temp	CRI
○ LAS10076 WHT	24W	48V	1920lm	10-55°	3000K	90+
● LAS10076 BLK	24W	48V	1920lm	10-55°	3000K	90+


Ball Spotlight



Order Number	Wattage	Voltage	Lumen	Beam Angle	Colour Temp	CRI
○ LAS10023 WHT	5W	48V	300lm	38°	3000K	90+
● LAS10023 BLK	5W	48V	300lm	38°	3000K	90+


LASER LED FITTINGS

Ball Large Spotlight



Order Number	Wattage	Voltage	Lumen	Beam Angle	Colour Temp	CRI
○ LAS10069 WHT	9.5W	48V	600lm	36°	3000K	90+
● LAS10069 BLK	9.5W	48V	600lm	36°	3000K	90+


Can Downlight



Order Number	Wattage	Voltage	Lumen	Beam Angle	Colour Temp	CRI
○ LAS10063 WHT	6W	48V	360lm	24°	3000K	90+
● LAS10063 BLK	6W	48V	360lm	24°	3000K	90+


LASER LED FITTINGS

Short Downlight



Order Number	Wattage	Voltage	Lumen	Beam Angle	Colour Temp	CRI
○ LAS10047 WH/WH	6W	48V	480lm	24°	3000K	90+
● LAS10047 BL/BL	6W	48V	480lm	24°	3000K	90+


Medium Downlight



Order Number	Wattage	Voltage	Lumen	Beam Angle	Colour Temp	CRI
○ LAS10048 WH/WH	12W	48V	960lm	24°	3000K	90+
● LAS10048 BL/BL	12W	48V	960lm	24°	3000K	90+



LASER LED FITTINGS

Long Downlight



Order Number	Wattage	Voltage	Lumen	Beam Angle	Colour Temp	CRI
○ LAS10049 WH/WH	18W	48V	1440lm	24°	3000K	90+
● LAS10049 BL/BL	18W	48V	1440lm	24°	3000K	90+


Short Panel



Order Number	Wattage	Voltage	Lumen	Beam Angle	Colour Temp	CRI
○ LAS10050 WH/WH	5W	48V	250lm	24°	3000K	90+
● LAS10050 BL/BL	5W	48V	250lm	24°	3000K	90+


LASER LED FITTINGS

Medium Panel



Order Number	Wattage	Voltage	Lumen	Beam Angle	Colour Temp	CRI
○ LAS10051 WH/WH	10W	48V	500lm	24°	3000K	90+
● LAS10051 BL/BL	10W	48V	500lm	24°	3000K	90+


Long Panel



Order Number	Wattage	Voltage	Lumen	Beam Angle	Colour Temp	CRI
○ LAS10052 WH/WH	20W	48V	1000lm	24°	3000K	90+
● LAS10052 BL/BL	20W	48V	1000lm	24°	3000K	90+


LASER LED FITTINGS

Focus Wall Washer



Order Number	Wattage	Voltage	Lumen	Beam Angle	Colour Temp	CRI
○ LAS10053 WHT	6W	48V	480lm	24°	3000K	90+
● LAS10053 BLK	6W	48V	480lm	24°	3000K	90+

Diffuser Wall Washer




Order Number	Wattage	Voltage	Lumen	Beam Angle	Colour Temp	CRI
○ LAS10056 WHT	10W	48V	800lm	150°	3000K	90+
● LAS10056 BLK	10W	48V	800lm	150°	3000K	90+

LASER LED FITTINGS

Flexible Tube




Longer sizes available



Order Number	Wattage	Voltage	Lumen	Beam Angle	Colour Temp	CRI
○ LAS10018 WHT	16W	48V	750lm	360°	3000K	90+
● LAS10018 BLK	16W	48V	750lm	360°	3000K	90+


Ice Pendant



Order Number	Wattage	Voltage	Lumen	Beam Angle	Colour Temp	CRI
○ LAS10016-370 WHT	6W	48V	240lm	86°	3000K	90+
● LAS10016-370 BLK	6W	48V	240lm	86°	3000K	90+


LASER LED FITTINGS

Cone Pendant



Order Number	Wattage	Voltage	Lumen	Beam Angle	Colour Temp	CRI
○ LAS10026 WHT	6W	48V	240lm	38°	3000K	90+
● LAS10026 BLK	6W	48V	240lm	38°	3000K	90+


Ball Pendant



Order Number	Wattage	Voltage	Lumen	Beam Angle	Colour Temp	CRI
○ LAS10012 WH/WH	4.5W	48V	240lm	38°	3000K	90+
● LAS10012 BL/BL	4.5W	48V	240lm	38°	3000K	90+


LASER LED FITTINGS

Ball Large Pendant



Order Number	Wattage	Voltage	Lumen	Beam Angle	Colour Temp	CRI
○ LAS10013 WH/WH	8.5W	48V	480lm	38°	3000K	90+
● LAS10013 BL/BL	8.5W	48V	480lm	38°	3000K	90+

Glass Bubble Pendant



Order Number	Wattage	Voltage	Lumen	Colour Temp	CRI
○ LAS10070 WHT	9W	48V	840lm	3000K	90+
● LAS10070 BLK	9W	48V	840lm	3000K	90+



020 8874 2234 | info@mr-resistor.co.uk

19 - 23 Lydden Road, Wandsworth, London, SW18 4LT, United Kingdom

www.mr-resistor.co.uk