

# Seamless catalogue




## Seamless Introduction

Mr Resistor has created a new range of seamless lighting, displayed in our new Seamless demo room at our Wandsworth showroom. Many of the lights have been designed to be recessed and plastered into the wall and ceilings, to give a discreet modern look. We supply a large variety of seamless lighting including trimless downlights, plaster wall lights, invisible low level lights and extrusions for LED tape and fluorescent strip lighting.



### Seamless Contents





Trimless GU10 Round White, GU10 240V 50W code : FRTRD50 WHT GU10



Trimless GU10 Round Black, GU10 240V 50W code : FRTRD50 BLK GU10



Trimless MR16 Round White, MR16 12V 50W code : FRTRD50 WHT MR16



Trimless MR16 Round Black, MR16 12V 50W code : FRTRD50 BLK MR16

72

MR16 Fitting

Maximum ceiling depth 130mm

72

All measurements

are in mm



Trimless GU10 Square White, GU10 240V 50W code : FRTSQ50 WHT GU10

Trimless GU10 Square

code : FRTSQ50 BLK GU10

Trimless MR16 Square

code : FRTSQ50 WHT MR16

Black GU10

240V 50W


White, MR16

12V 50W






Trimless MR16 Square Black, MR16 12V 50W code : FRTSQ50 BLK MR16




GU10 Fitting

Maximum ceiling depth 130mm

MR16 Fitting Maximum ceiling depth 130mm





Trimless Downlights are compatible with LED lamps. See www.mrresistor.com for Trimless LED kits.

90mm

Trimless Downlight Installation

105mm

GU10 Fitting

Maximum ceiling depth 130mm

### Trimless Downlight Installed

01



Trimless GU10 Bathroom Round White, GU10, IP54 code : FRTRD50WHTGU10IP



Trimless GU10 Bathroom Round Black, GU10, IP54 240V 50W code : FRTRD50BLKGU10IP



Trimless MR16 Bathroom Round White, MR16, IP54 12V 50W code : FRTRD50 WHT MR16 IP54



GU10 Fitting

Maximum ceiling depth 130mm

Trimless MR16 Bathroom Round Black, MR16, IP54 12V 50W code : RTRD50 BLK MR16 IP54

125

MR16 Fitting

Maximum ceiling depth 130mm

72

72

All measurements

are in mm



Trimless GU10 Bathroom Square White, GU10, IP54 240V 50W code : FRTSQ50WHTGU10IP








Trimless MR16 Bathroom Square White, MR16, IP54 12V 50W code : FRTSQ50 WHT MR16 IP54



Trimless MR16 Bathroom Square Black, MR16, IP54 12V 50W code : FRTSQ50 BLK MR16 IP54




GU10 Fitting

05mm

Maximum ceiling depth 130mm

75

MR16 Fitting Maximum ceiling depth 130mm



Trimless Downlights are compatible with LED lamps. See www.mrresistor.com for Trimless LED kits.

### Trimless Bathroom Downlight Installation

05mn





Trimless MR11 Round White, MR11 12V 35W code : FRTRDMR11 WHITE








### Trimless MR11 Square White, MR11 12V 35W code : FRTSQMR11 WHITE


Trimless MR11 Square


Black, MR11 12V 35W code : FRTSQMR11 BLACK



All measurements are in mm


Maximum ceiling depth 90mm







All measurements are in mm

Maximum ceiling depth 90mm




Trimless Downlights are compatible with LED lamps. See www.mrresistor.com for Trimless LED kits.





Trimless Downlights are compatible with LED lamps. See www.mrresistor.com for Trimless LED kits.




## Seamless Plaster Downlights



## Seamless Plaster Downlights




Plaster Downlights are compatible with LED lamps. See www.mrresistor.com for compatible LED Lamps.



Plaster Downlights Installed



## Seamless Plaster Downlights




Plaster Downlights are compatible with LED lamps. See www.mrresistor.com for compatible LED Lamps.

Plaster Downlights Installed




## Seamless **Downlights**




### Skygarden Downlight Installed



## Seamless Wall Lights








## Seamless Wall/Low Level Lights




### **Soft Spun** White, R7s

240V 160W code :SOFT SPUN LARGE



Flam XL Plaster Invisible LED, Warm White 350mA 1.5W code : SEAFLAM XL 3064








1

Seaslot Plaster Invisible LED, Warm White 350mA 6W code : SEASLOT XL5 3042




Flam XL Installation




Flam XL Installed

## Seamless Low Level Lights





Quara Invisible LED, Warm White, Blue or Amber 350mA 1W warm white code : IL86460W70 blue code : IL86460B70 amber code : IL86460Y70



All measurements are in mm






Borgo Trimless 35 LED, Warm White 700mA 3W code : BORGO 35 0976 WH



Borgo Trimless Installation






All measurements

are in mm

Borgo Trimless 65 LED, Warm White

700mA 3W code : BORGO 65 0977 WH



### Borgo Trimless Installed



11


.......

## Seamless Plaster Extrusions



Blade Plaster Extrusion For use with variety of strip lighting 1 metre code : SEABLADE 1M







All measurements

are in mm

Blade Diffuser 1 metre code : SEABLADE DIFFUSE



Blade End Cap pair code : SEABLADE ENDS



Blade Inside Corner code : SEABLADE L IN




Blade Outside Corner code : SEABLADE L OUT



Blade 3D Vertical Corner code : SEABLADE L VERT




For more extrusions and strip lighting see www.mrresistor.com



## Seamless Plaster Extrusions



Micro 35 Plaster Extrusion For use with LED Tape 1500mm code : SEAMICRO35 1.5



All measurements are in mm



Micro 35 Diffuser code : SEAMIN/MICRO DIF




Micro 35 End Cap Pair code : SEAMICRO35 ENDS



### Micro 50 Plaster Extrusion

For use with LED Tape 1500mm code : SEAMICRO50 1.5



All measurements are in mm




Micro 50 Diffuser code : SEAMIN/MICRO DIF





Micro 65 Plaster Extrusion For use with LED Tape

1500mm code : SEAMICRO65 1.5



All measurements are in mm



Micro 65 Diffuser code : SEAMIN/MICRO DIF

Micro 65 End Cap Pair code : SEAMICRO65 ENDS



Micro Extrusion Installed




## Seamless Plaster & MDF Extrusions



### Extrusion T5 Kits

For use with variety of strip lighting 1000mm code : SEA7002T5 WHT 2 1500mm code : SEA7002T5 WHT 3 2000mm code : SEA7002T5 WHT 4



All measurements are in mm



Extrusion T5 Installed



Extrusion T5 Left End For use with variety of strip lighting Section Length - 500mm code : SEA7002L T5 WHT

Extrusion T5 Middle For use with variety of strip lighting Section Length - 500mm code : SEA7002M T5 WHT



Extrusion T5 Right End For use with variety of strip lighting Section Length - 500mm code : SEA7002R T5 WHT

You can buy the Extrusion T5 in set kits, or choose the length you need by adding more Extrusion T5 Middle sections .



MDF 45° Surface Extrusion For use with LED Tape 1070mm code : MDF 45 1070MM

All measurements are in mm





Clear Diffuser code : DIFF MICROMAX C1

Frosted Diffuser code : DIFF MICROMAX F1

### MDF 45° Installed




## Seamless Metal Extrusions



### Line HR Recessed Extrusion For use with LED Tape

1 metre code : LINE HR AL 1.07M 2 metre code : LINE HR AL 2.07M



All measurements are in mm




Line HR Diffuser 1 metre code : DIFF HR.L 1.07M

Line HR Diffuser 2 metre code : DIFF HR.L 2.07M



### Line U Recessed Extrusion

For use with LED Tape 2070mm code : LINE U ALU 2.07M



All measurements are in mm



Line U Diffuser code : DIFF LINE 2.07M

Line Recessed Endcap code : LINE U END



Line Recessed Powerend code : LINE U POWER END

### Line HR Installation



### Line U Installation



### Line HR & Line U Installed




## Seamless Metal Extrusions & Tape



### Light Line Extrusion

For use with variety of strip lighting 1000mm code : LIGHTLINE1



All measurements are in mm



Lightline Diffuser code : LIGHTLINE1 COVER


Lightline End Cap code : LIGHTLINE END

Lightline Extrusion Connector code : LIGHTLINE CONN



### Light Line Installation







LED Tape 1000mm 24V 8W 3400K Warm White code : TAPE100 IP65 WW



LED Tape 1000mm 24V 8W 6000K Daylight code : TAPE100 IP65 CW



LED Tape 1000mm 24V 8W 2700K Warm White code : TAPE100 IP65 INT



LED Tape 1000mm 24V 8W RGB code : TAPE100 RGB

For more extrusions and strip lighting see www.mrresistor.com

Wandsworth Showroom

21 Lydden Road Wandsworth London SW18 4LT, UK Fulham Showroom 82-84 New Kings Road Fulham London SW6 4LU, UK



Tel: +44 (0)20 8874 2234 Fax: +44 (0)20 8871 2262

www.mrresistor.com