




MR. RESISTOR[®]
Lighting Specialist Est. 1968

TRIMLESS DOWNLIGHTS

CATALOGUE



TRIMLESS DOWNLIGHTS

The Trimless Downlight range is designed to be plastered into ceilings to give a seamless contemporary appearance.

The Trimless downlights are available in round or square, white, black, bronze and nickel. There are fire-rated versions available, IP rated bathroom versions. They are also available in standard, small and large sizes, for whatever area you wish to light.

There is also spotlight downlight adaptors, which will fix into the trimless downlights, enabling focussed lighting for tasks such as picture lighting. Pendant adaptors are available to create pendant lighting by fixing into existing Trimless downlights. This system gives flexibility to design your lighting after the install is completed.

Contents

- 01** Trimless Round Downlights
- 15** Trimless Square Downlights
- 27** Trimless Tube Spotlights
- 31** Trimless Downlight Accessories
- 33** Installing Trimless Downlights
- 35** Installing Trimless Tube Spotlights
- 37** LED Lamps








01

Thirty Nine Monte Carlo - Trimless Round Adjustable Downlights. *Lighting Design by Mr Resistor*

Trimless Round GU10




BLACK




BRONZE

Adjustable Single - 50mm Lamp

Order Code	Colour	Lampholder	Voltage	Wattage	IP Rating	Fire Rated	Vertical Tilt
FRTRD1WHTGU10A	WHITE	GU10	240V	50W	IP20	No	40°
FRTRD1BLKGU10A	BLACK	GU10	240V	50W	IP20	No	40°




cutout - Ø80mm




Fire Rated Adjustable Single - 50mm Lamp

Order Code	Colour	Lampholder	Voltage	Wattage	IP Rating	Fire Rated	Vertical Tilt
FIREFRTRDGU10 WH	WHITE	GU10	240V	50W	IP20	Yes	40°
FIREFRTRDGU10 BL	BLACK	GU10	240V	50W	IP20	Yes	40°
FIREFRTRDGU10 BZ	BRONZE	GU10	240V	50W	IP20	Yes	40°



cutout - Ø92mm





12V versions available on request | Accessories available - page 29-32 | Lamps available - page 37-39






Trimless Round Bathroom GU10 & MR16




Bathroom Fixed Single - 50mm Lamp

Order Code	Colour	Lampholder	Voltage	Wattage	IP Rating	Fire Rated	Vertical Tilt
FRTRD1WHTGU1055W	WHITE	GU10	240V	50W	IP55	No	Fixed
FRTRD1BLKGU1055B	BLACK	GU10	240V	50W	IP55	No	Fixed
FRTRD1WHTMR1655W	WHITE	GU5.3 / MR16	12V	50W	IP55	No	Fixed
FRTRD1BLKMR1655B	BLACK	GU5.3 / MR16	12V	50W	IP55	No	Fixed



Fire Rated Bathroom Fixed Single - 50mm Lamp




Order Code	Colour	Lampholder	Voltage	Wattage	IP Rating	Fire Rated	Vertical Tilt
FIREFRTRDGU1055W	WHITE	GU10	240V	50W	IP55	Yes	Fixed
FIREFRTRDGU1055B	BLACK	GU10	240V	50W	IP55	Yes	Fixed
FIREFRTRDGU10 IP55 BZ	BRONZE	GU10	240V	50W	IP55	Yes	Fixed
FIREFRTRDMR1655W	WHITE	GU5.3 / MR16	12V	50W	IP55	Yes	Fixed
FRTRD1BLKMR1655B	BLACK	GU5.3 / MR16	12V	50W	IP55	Yes	Fixed



Accessories available - page 29-32 | Lamps available - page 37-39








Trimless Round Double GU10



Adjustable Double - 50mm Lamp





Order Code	Colour	Lampholder	Voltage	Wattage	IP Rating	Fire Rated	Vertical Tilt
FRTRD2 WHT GU10	WHITE	GU10	240V	2 x 50W	IP20	No	40°
FRTRD2 BLK GU10	BLACK	GU10	240V	2 x 50W	IP20	No	40°
FRTRD2 BRZ GU10	BRONZE	GU10	240V	2 x 50W	IP20	No	40°



Firehood - FRT100 MR16HOOD





Trimless Round Fixed GU10





Fixed Single - 50mm Lamp

Order Code	Colour	Lampholder	Voltage	Wattage	IP Rating	Fire Rated	Vertical Tilt
FRTRD1WHTGU10F	WHITE	GU10	240V	50W	IP20	No	Fixed
FRTRD1BRZGU10F	BRONZE	GU10	240V	50W	IP20	No	Fixed
FRTRD1CHRGU10F	CHROME	GU10	240V	50W	IP20	No	Fixed
FRTRD1NKLGU10F	NICKEL	GU10	240V	50W	IP20	No	Fixed



Fire Rated Fixed Single - 50mm Lamp

Order Code	Colour	Lampholder	Voltage	Wattage	IP Rating	Fire Rated	Vertical Tilt
FIREFIXRDGU10 WH	WHITE	GU10	240V	50W	IP20	Yes	Fixed
FIREFIXRDGU10 BZ	BRONZE	GU10	240V	50W	IP20	Yes	Fixed
FIREFIXRDGU10 CH	CHROME	GU10	240V	50W	IP20	Yes	Fixed
FIREFIXRDGU10 NK	NICKEL	GU10	240V	50W	IP20	Yes	Fixed



Accessories available - page 29-32 | Lamps available - page 37-39





Trimless Round Small GU11



Adjustable Single - 35mm Lamp



Order Code	Colour	Lampholder	Voltage	Wattage	IP Rating	Fire Rated	Vertical Tilt
FRTRDGU11 WHITE	WHITE	GU11	240V	35W	IP20	No	40°
FRTRDGU11 BLACK	BLACK	GU11	240V	35W	IP20	No	40°



Firehood - HOOD DLC4

Fire Rated Adjustable Single - 35mm Lamp

Order Code	Colour	Lampholder	Voltage	Wattage	IP Rating	Fire Rated	Vertical Tilt
FIREFRTRDGU11 WH	WHITE	GU11	240V	35W	IP20	Yes	40°
FIREFRTRDGU11 BL	BLACK	GU11	240V	35W	IP20	Yes	40°



Firehood - HOOD DLC4







Trimless Round Bathroom Small GU11



Bathroom Fixed Single - 35mm Lamp



Order Code	Colour	Lampholder	Voltage	Wattage	IP Rating	Fire Rated	Vertical Tilt
FRTRDGU11 IP WHITE	WHITE	GU11	240V	35W	IP55	No	Fixed
FRTRDGU11 IP BLACK	BLACK	GU11	240V	35W	IP55	No	Fixed



Firehood - HOOD DLC4

Fire Rated Bathroom Fixed Single - 35mm Lamp

Order Code	Colour	Lampholder	Voltage	Wattage	IP Rating	Fire Rated	Vertical Tilt
FIREFRTRDGU11 IP WH	WHITE	GU11	240V	35W	IP55	Yes	Fixed
FIREFRTRDGU11 IP BL	BLACK	GU11	240V	35W	IP55	Yes	Fixed





Firehood - HOOD DLC4






Trimless Round Large AR111 & ES111



Adjustable Single - 111mm Lamp

Order Code	Colour	Lampholder	Voltage	Wattage	IP Rating	Fire Rated	Vertical Tilt
FRTRD AR111 WH	WHITE	G53 / AR111	12V	75W	IP20	No	40°
FRTRD AR111 BL	BLACK	G53 / AR111	12V	75W	IP20	No	40°
FRTRD ES111 WHI	WHITE	GU10 / ES111	240V	75W	IP20	No	40°
FRTRD ES111 BLK	BLACK	GU10 / ES111	240V	75W	IP20	No	40°



Firehood - HOOD DLC4






All Lighting Design by Mr Resistor





Trimless Square GU10





Adjustable Single - 50mm Lamp

Order Code	Colour	Lampholder	Voltage	Wattage	IP Rating	Fire Rated	Vertical Tilt
FRTSQ1 WHT GU10	WHITE	GU10	240V	50W	IP20	No	40°
FRTSQ1 BLK GU10	BLACK	GU10	240V	50W	IP20	No	40°



Fire Rated Adjustable Single - 50mm Lamp

Order Code	Colour	Lampholder	Voltage	Wattage	IP Rating	Fire Rated	Vertical Tilt
FIREFRTSQGU10 WH	WHITE	GU10	240V	50W	IP20	Yes	40°
FIREFRTSQGU10 BL	BLACK	GU10	240V	50W	IP20	Yes	40°
FIREFRTSQGU10 NK	NICKEL	GU10	240V	50W	IP20	Yes	40°






12V versions available on request | Accessories available - page 29-32 | Lamps available - page 37-39






Trimless Square Bathroom GU10 & MR16




Fixed Single - 50mm Lamp

Order Code	Colour	Lampholder	Voltage	Wattage	IP Rating	Fire Rated	Vertical Tilt
FRTSQ1WHTGU1055W	WHITE	GU10	240V	50W	IP55	No	Fixed
FRTSQ1BLKGU1055B	BLACK	GU10	240V	50W	IP55	No	Fixed
FRTSQ1WHTMR1655W	WHITE	GU5.3 / MR16	12V	50W	IP55	No	Fixed
FRTSQ1BLKMR1655B	BLACK	GU5.3 / MR16	12V	50W	IP55	No	Fixed



Fire Rated Fixed Single - 50mm Lamp

Order Code	Colour	Lampholder	Voltage	Wattage	IP Rating	Fire Rated	Vertical Tilt
FIREFRTSQGU1055W	WHITE	GU10	240V	50W	IP55	Yes	Fixed
FIREFRTSQGU1055B	BLACK	GU10	240V	50W	IP55	Yes	Fixed
FIREFRTSQGU1055NK	NICKEL	GU10	240V	50W	IP55	Yes	Fixed
FIREFRTSQMR1655W	WHITE	GU5.3 / MR16	12V	50W	IP55	Yes	Fixed



Accessories available - page 29-32 | Lamps available - page 37-39






Trimless Square Double GU10



TRIMLESS SQUARE DOUBLE WHITE








BLACK



BRONZE

Adjustable Double - 50mm Lamp

Order Code	Colour	Lampholder	Voltage	Wattage	IP Rating	Fire Rated	Vertical Tilt
FRTSQ2 WHT GU10	WHITE	GU10	240V	2 x 50W	IP20	No	40°
FRTSQ2 BLK GU10	BLACK	GU10	240V	2 x 50W	IP20	No	40°
FRTSQ2 BRZ GU10	BRONZE	GU10	240V	2 x 50W	IP20	No	40°



Firehood - FRT100 MR16HOOD



12V versions available on request | Accessories available - page 29-32 | Lamps available - page 37-39









Trimless Square Double Bathroom GU10 & MR16



Fixed Double - 50mm Lamp

Order Code	Colour	Lampholder	Voltage	Wattage	IP Rating	Fire Rated	Vertical Tilt
FRTSQ2 WHT IP55GU10	WHITE	GU10	240V	2 x 50W	IP55	No	Fixed
FRTSQ2 BLK IP55GU10	BLACK	GU10	240V	2 x 50W	IP55	No	Fixed
FRTSQ2 WHT IP55MR16	WHITE	GU5.3 / MR16	12V	2 x 50W	IP55	No	Fixed
FRTSQ2 BLK IP55MR16	BLACK	GU5.3 / MR16	12V	2 x 50W	IP55	No	Fixed



Firehood - FRT100 MR16HOOD








Trimless Square Triple GU10



Adjustable Triple - 50mm Lamp

Order Code	Colour	Lampholder	Voltage	Wattage	IP Rating	Fire Rated	Vertical Tilt
FRTSQ3 WHT GU10	WHITE	GU10	240V	3 x 50W	IP20	No	40°
FRTSQ3 BLK GU10	BLACK	GU10	240V	3 x 50W	IP20	No	40°



Firehood - FRT200 QR111HOOD



12V versions available on request | Accessories available - page 29-32 | Lamps available - page 37-39





Trimless Square Small GU11





Adjustable Single - 35mm Lamp

Order Code	Colour	Lampholder	Voltage	Wattage	IP Rating	Fire Rated	Vertical Tilt
FRTSQGU11 WHITE	WHITE	GU11	240V	35W	IP20	No	40°
FRTSQGU11 BLACK	BLACK	GU11	240V	35W	IP20	No	40°



Fire Rated Adjustable Single - 35mm Lamp

Order Code	Colour	Lampholder	Voltage	Wattage	IP Rating	Fire Rated	Vertical Tilt
FIREFRTSQGU11 WH	WHITE	GU11	240V	35W	IP20	Yes	Vertical Tilt
FIREFRTSQGU11 BL	BLACK	GU11	240V	35W	IP20	Yes	40°
							40°



Firehood - HOOD DLC4




Trimless Square Bathroom GU11




Fixed Single - 35mm Lamp

Order Code	Colour	Lampholder	Voltage	Wattage	IP Rating	Fire Rated	Vertical Tilt
FRTSQGU11 IP WH	WHITE	GU11	240V	35W	IP55	No	Fixed
FRTSQGU11 IP BL	BLACK	GU11	240V	35W	IP55	No	Fixed
FRTSQMR11 IP WH	WHITE	GU4/MR11	12V	35W	IP55	No	Fixed
FRTSQMR11 IP BL	BLACK	GU4/MR11	12V	35W	IP55	No	Fixed



Fire Rated Fixed Single - 35mm Lamp

Order Code	Colour	Lampholder	Voltage	Wattage	IP Rating	Fire Rated	Vertical Tilt
FIREFRTSQGU11 IP WH	WHITE	GU11	240V	35W	IP55	Yes	Fixed
FIREFRTSQGU11 IP BL	BLACK	GU11	240V	35W	IP55	Yes	Fixed
FIREFRTSQMR11 IP WH	WHITE	GU4/MR11	12V	35W	IP55	Yes	Fixed
FIREFRTSQMR11 IP BL	BLACK	GU4/MR11	12V	35W	IP55	Yes	Fixed






Trimless Square Large AR111 & ES111



Adjustable Single - 111mm Lamp



Order Code	Colour	Lampholder	Voltage	Wattage	IP Rating	Fire Rated	Vertical Tilt
FRTSQ AR111 WH	WHITE	G53 / AR111	12V	75W	IP20	No	40°
FRTSQ AR111 BL	BLACK	G53 / AR111	12V	75W	IP20	No	40°
FRTSQ ES111 WHI	WHITE	GU10 / ES111	240V	75W	IP20	No	40°
FRTSQ ES111 BLK	BLACK	GU10 / ES111	240V	75W	IP20	No	40°



Firehood - HOOD DLC4

Trimless Tube Spotlight GU10

The Tube Spotlight Trimless Downlight Adaptor allows for the easy conversion of existing GU10 and GU11 trimless downlights into spotlights. It provides a seamless appearance, perfectly matching existing trimless designs. Installation is straightforward—simply plug the spotlight's power cable into the downlight's GU10 lampholder. It's so simple that no electrician is required.





TRIMLESS ROUND SPOTLIGHT WHITE



TRIMLESS SQUARE SPOTLIGHT BLACK



TRIMLESS ROUND DOUBLE SPOTLIGHT BRONZE



TRIMLESS SQUARE DOUBLE SPOTLIGHT BLACK








TRIMLESS ROUND SMALL SPOTLIGHT WHITE




TRIMLESS SQUARE SMALL SPOTLIGHT BLACK

Trimless Tube Spotlight GU10



Adjustable Single - 50mm Lamp


Order Code	Colour	Lampholder	Voltage	Wattage	IP Rating	Vertical Tilt
FRTTUBE1 9010T	WHITE	GU10	240V	50W	IP20	90°
FRTTUBE4 9004T	BLACK	GU10	240V	50W	IP20	90°
FRTTUBE2 CHR	CHROME	GU10	240V	50W	IP20	90°
FRTTUBE5 BRZ	BRONZE	GU10	240V	50W	IP20	90°
FRTTUBE6 NKL	NICKEL	GU10	240V	50W	IP20	90°
FRTTUBE3 BRA	BRASS	GU10	240V	50W	IP20	90°



Trimless Tube Spotlight GU11




TRIMLESS TUBE SPOTLIGHT WHITE




TRIMLESS TUBE SPOTLIGHT BLACK

Adjustable Single - 35mm Lamp

Order Code	Colour	Lampholder	Voltage	Wattage	IP Rating	Vertical Tilt
FRT35TUBE1 9010W	WHITE	GU11	240V	4W	IP20	90°
FRT35TUBE4 9004	BLACK	GU11	240V	4W	IP20	90°



Trimless IP55 Conversion Rings



GU10/MR16 Downlights


Order Code	Colour	IP Rating	Lamp Diameter
FRTRING IP55 WHT	White	IP55	50mm
FRTRING IP55 BLK	Black	IP55	50mm
FRTRING IP55 BRZ	Bronze	IP55	50mm
FRTRING IP55 SS	Nickel	IP55	50mm



GU11/MR11 Downlights


Order Code	Colour	IP Rating	Lamp Diameter
FRTRING35 IP55 W	White	IP55	35mm
FRTRING35 IP55 B	Black	IP55	35mm

Trimless GU10 Pendant Adaptor




Order Code	Colour	Lampholder	Voltage	IP Rating
GU10 PENDANT ADP	WHITE	GU10	240V	IP20

Downlight Baffles 50mm



Order Code	Colour	Lamp Diameter
BAFFLE50 WHITE	White	50mm
BAFFLE50 BLK	Black	50mm
BAFFLE50 GOLD	Gold	50mm
BAFFLE50 CHROME	Chrome	50mm

INSTALLING TRIMLESS DOWNLIGHTS



1.

cut hole in ceiling

2.

wire & screw/
glue to ceiling


3.

fix in
polystyrene
protector




4.

plaster over
downlights



5.




remove
polystyrene
protector



6.

install lamp and
twist in to place
to finish

INSTALLING TRIMLESS SPOTLIGHTS



1.


install trimless
downlight if not
existing

2.

twist and
remove
downlight ring

3.

attach
spotlight cap to
lampholder



4.

push and twist
spotlight into
hole



5.

install lamp



6.

adjust
spotlight into
position

LED Lamps




LED REALITY GU10 RETRO - 50mm

Order Code	Wattage	Colour Temp	Lumens	Beam angle	CRI	Lamp Holder	Dimmable
REAL RETRO5 I24D	5W	2700K	500	24°	90	GU10	Yes
REAL RETRO5 W24D	5W	3000K	500	24°	90	GU10	Yes
REAL RETRO5 I45D	5W	2700K	500	45°	90	GU10	Yes
REAL RETRO5 W45D	5W	3000K	500	45°	90	GU10	Yes



LED REALITY GU10 TALL - 50mm

Order Code	Wattage	Colour Temp	Lumens	Beam angle	CRI	Lamp Holder	Dimmable
REAL GU10D INT24	7W	2700K	630	24°	90	GU10	Yes
REAL GU10D 24D	7W	3000K	630	24°	90	GU10	Yes
REAL GU10D INT45	7W	2700K	630	45°	90	GU10	Yes
REAL GU10D 45D	7W	3000K	630	45°	90	GU10	Yes



LED REALITY MODULE - 50mm

Order Code	Wattage	Colour Temp	Lumens	Beam angle	CRI	Lamp Holder	Dimmable
REAL MODULE 24/I	10W	2700K	900	24°	90	-	Yes
REAL MODULE 24/W	10W	3000K	900	24°	90	-	Yes
REAL MODULE 45/I	10W	2700K	900	45°	90	-	Yes
REAL MODULE 45/W	10W	3000K	900	45°	90	-	Yes

D

LED REALITY MODULE 25 - 50mm

Order Code	Wattage	Colour Temp	Lumens	Beam angle	CRI	Lamp Holder	Dimmable
REAL 25MM 45/I	7W	2700K	650	45°	90	-	Yes
REAL 25MM 45/W	7W	3000K	650	45°	90	-	Yes

E

LED REALITY MR16 - 50mm

Order Code	Wattage	Colour Temp	Lumens	Beam angle	CRI	Lamp Holder	Dimmable
REAL MR16D INT24	7W	2700K	630	24°	90	GU5.3	Yes
REAL MR16D 24D	7W	3000K	630	24°	90	GU5.3	Yes
REAL MR16D INT45	7W	2700K	630	45°	90	GU5.3	Yes
REAL MR16D 45D	7W	3000K	630	45°	90	GU5.3	Yes

F

LED REALITY GU11 - 35mm

Order Code	Wattage	Colour Temp	Lumens	Beam angle	CRI	Lamp Holder	Dimmable
REAL GU11D INT	4W	2700K	280	35°	90	GU10	Yes
REAL GU11D W/W	4W	3000K	280	35°	90	GU10	Yes

LED Lamps

Ⓒ



LED REALITY MR11 - 35mm

Order Code	Wattage	Colour Temp	Lumens	Beam angle	CRI	Lamp Holder	Dimmable
REAL MR11D INT	3.5W	2700K	320	35°	90	GU4	Yes
REAL MR11D WARM	3.5W	3000K	320	35°	90	GU4	Yes

Ⓓ



LED REALITY AR111 - 111mm

Order Code	Wattage	Colour Temp	Lumens	Beam angle	CRI	Lamp Holder	Dimmable
REAL AR111D INT	13W	2700K	950	24°	90	G53	Yes
REAL AR111D WW	13W	3000K	950	24°	90	G53	Yes

Ⓔ




LED REALITY ES111 - 111mm

Order Code	Wattage	Colour Temp	Lumens	Beam angle	CRI	Lamp Holder	Dimmable
REAL ES11135D V2	12W	2700K	900	38°	90	GU10	Yes

**Mr Resistor is a lighting specialist based in London.
Established in 1968, we have over 55 years experience in the
lighting industry.**

**We offer a wide range of lighting products, controls and
electrical components. We keep up to date with all the latest
lighting developments from around the world, so we can offer
the best range of contemporary lighting solutions
possible.**



020 8874 2234 | info@mr-resistor.co.uk

19 - 23 Lydden Road, Wandsworth, London, SW18 4LT, United Kingdom

www.mr-resistor.co.uk