COLOUR CHANGE Plug & Play Outdoor Lighting







COLOUR CHANGE

Plug & Play Outdoor Lighting

Add some life to outdoor spaces, with our range of colour change lighting. The fittings are plug & play so are simple to install. Combined with our Wise Chameleon controls, you will have the ability to wirelessly control your colour change lighting from wherever you want. These fittings are also are compatible with DMX and other colour changing systems.

24V	Fitti	nas

Spike Lights	01	Floodlights	02
--------------	----	-------------	----

Uplights 06 Tape & Strip 07

Accessories 11

350mA Fittings

Spike Lights 13 Uplights 14

Low Level Lights 16 Accessories 17

Enclosures 1

Architectural Flood RGB


24V 29W IP68



The Architectural Outdoor Projector is an outdoor IP68 rated LED colour change floodlight capable of lighting up whole trees or buildings. It has 12 LEDs. It is available in a spike or surface mounted version. The fitting is frosted to diffuse the light.



45° BEAM





black, spike, 45° LEDHLB00701S RGB



black, wall, 45° LEDHLB00701W RGB

Architectural Projector RGB

24V 15W IP68



The LED7021 Architectural Outdoor Projector is an outdoor IP68 rated LED colour change floodlight capable of lighting up whole trees or buildings. It has 15 LEDs (5 Green, 5 Blue, 5 Red)






10° BEAM

45° BEAM







black, 10° LED7021/10 24V



black, 45° LED7021/45 24V


LED Wall-washer RGB

24V IP65



The LED Wall-washer is a super bright LED colour change wall-washer capable of lighting large outdoor structures. It has RGB LEDs that, when used with one of the suggested colour change controllers, can produce a vast spectrum of colours. Being IP65 rated the fitting is completely water and weather proof.







600mm, 50W, RGB LEDLINA 600 RGB



900mm, 75W, RGB LEDLINA 900 RGB



1200mm, 75W, RGB LEDLINA 1200 RGB

LED Projector Narrow RGB


24V 48W IP65



The LED Projector is a super bright LED colour change floodlight capable of lighting large outdoor structures. It is narrow beamed making it ideal for lighting columns and pillars. It has 27 RGB LEDs that, when used with one of the suggested colour change controllers, can produce a vast spectrum of colours.



10° BEAM





black

LED Projector Super RGB


24V 70W IP65



The LED Projector is a super bright LED colour change floodlight capable of lighting large outdoor structures. It has 48 RGB LEDs that, when used with one of the suggested colour change controllers, can produce a vast spectrum of colours. Being IP65 rated the projector is completely water and weather proof.



33° BEAM





black LEDPROJECT RGBV2


Architectural Uplight RGB

24V 24W IP67



The Architectural LED Recessed Uplight RGB is a recessed colour changing uplight that can be driven over and used in commercial or domestic applications. The Architectural Uplight is rated IP67, this allows it to be fitted into wet areas, for example outside in decking.







stainless steel HLE06401 45D RGB

LED Tape Waterproof RGB


24V 72W IP68



This LED tape is our most waterproof at IP68. It is ideal for outdoor use and can even be submerged in water. It is the perfect lighting solution to create a uniformed, even light around straight or curved surfaces.

LED tape power cord included

We advise controlling this product via our Wise chameleon system.




5m length, 100mm cut length



5 metre, RGB TAPE500 IP68 RGB

LED Neon Flex RGB

24V 4.8W per metre IP65



This product is able to be powered as one continuous strip. This product can be cut every 500mm and can run up to 10 metres. It is the perfect lighting solution to create a uniformed, even light around straight or curved surfaces.

We advise controlling this product via our Wise chameleon system.



	500mm cut length, max 10m length
50	
유	



1 metre, RGB LEYTON RGB/24V

This product requires a power cable. code: LEYTON RGB POWER A channel is also available to house the flex. code: LEYTON RGB 1000


LED Tube RGB

24V 12W IP65



The LED Tube is a bright LED colour change tube that is ideally used to give a glow of colour. It can be used in outside coving, under decking and seating. The LED Tube can be linked together to give a seamless light.







1 metre, RGB I FDTUBE 1000 RGE



24V RGB Accessories

LED Power Lead 1M 12V/24V

The LED90 Power Cord is used to connect the RGB fittings to the power supply.

LED Coupler

The LED Coupler is used to extend the plug and play cables.



black LED90 POWER CORD



black, 2m LED90 COUPLER 2M

black,5m LED90 COUPLER 5M

black, 10m LED90 COUPLER10M

LED90 Blank End

The LED90 Blank End is used to insulate the remaining cables terminals.

Wise Chameleon 12V/24V

1he Wise Chameleon Master receiver is a 12V 150W or 24V 300W LED colour change controller and LED dimmer. It is controlled by wireless switches or by a push-to-make switch. It can colour change and dim any 12V or 24V RGB LEDs (with common anode +) or single colour LEDs.



black LED90 BLANK END



master 12V/24V 150W/300W WISERGB STRIP M3

slave 12V/24V 150W/300W WISERGB STRIP SL SyncroLED Master 12V/24V 300W

WISESYNCRGB 300M

SyncroLED Slave 12V/24V 300W WISESYNCRGB 300S

Wise Wireless Keypac

Wireless keypads can be used to control any of the receivers in the Wise Controls range. The function of the switch, and each of its buttons, depends upon the function of the wireless receiver it is programmed to.



wnite WISE INTENSE7 WH

WISE INTENSE7 BL

Wise Pod Remote

Wise Pods can be used to control any of the receivers in the Wise Controls range. The function of the switch, and each of its buttons, depends upon the function of the wireless receiver it is programmed to.



7 button remote white WISEPOD7 WHT

7 button remote black WISEPOD7 BLACK

LED Driver (Constant Voltage) 24V

The LEDs must be wired in parallel when using this driver. This driver is not dimmable. It can only be switched. It is strongly recommended that a safety cover or an enclosure is purchased in conjunction with this product.



25W Driver RS2524

150W Drive RS15024

50W Driver **RS5024** 320W Driver SP32024

100W Driver RS10024

Safety Cover

RS SAFETY COVE

Wise Chameleon Box 24V

The Wise Chameleon Master Outdoor Box is an IP54 rated wall mounted box specifically designed to allow outdoor wireless colour change lighting. The box is small and discrete enough to be hidden away, while remaining durable enough to handle all forms of weather.



master 24V 150W WISERGB BOX 150W

master 24V 300W WISERGB BOX 300W




LED9030 RGB

350mA 3W IP68

The LED9030 fittings are colour changing light fittings used for illuminating flower beds, statues and small plants. This fitting is rated at IP68 meaning that it can be left outside indefinitely and can be left directly underneath water. It is available in a spike or surface mounted version.







black, spike LED9030 RGB



black, wall


Phantom Round RGB


350mA 3W IP68




The Phantom Round 40° RGB is a small recessed uplight that can be used in floors and walls. It is rated IP68, allowing it to be fitted into wet areas such as outside in decking. Constructed from marine grade steel and frosted glass.














AL2118RD BRZ RGB

Phantom Square RGB


350mA 3W IP68



The Phantom Square 38° RGB is a small recessed uplight that can be used in floors and walls. It is rated IP68, allowing it to be fitted into wet areas such as shower cubicles or outside in decking.



38° BEAM





stainless steel


Pierrot Square RGB

350mA 3W IP65



The Pierrot Square is a 3W, 350mA LED wall fitting that is used to light floors. It is ideally used to highlight walkways such as paths or corridors and due to its IP65 rating, can be used in bathrooms or outside.







white AL4020 RGB

350mA RGB Accessories

Power Cord 350mA / 700mA

The Power Cord is used to carry the power supply from the mains to the driver. It is 500mm in length.

LED Coupler

The LED Coupler is used to extend the plug and play cables.



black SPECPC1



black, 2m SPECC2M

black,5m SPECC5M

black,10m SPEC10M

End Cap

The Spectrum End Cap is used to seal and terminate the remaining cables live end.

Wise Chameleon 350mA

The Wise Chameleon receiver is a 350mA 21W LED colour change controller and LED dimmer. It is controlled by wireless switches or by a pushto-make switch. It can colour change and dimany 350mA RGB LEDs or single colour LEDs.



black SPEC ENDCAP



master 350mA 21W WISERGB 350MA M3

slave 350mA 21W WISERGB 350MA SL SyncroLED Master 350mA 21W

WISESYNCRGB 21M

SyncroLED Slave 350mA 21W

WISESYNCRGB 21S

Wise Chameleon Box 350mA

The Wise Chameleon Master Outdoor Box is an IP54 rated wall mounted box specifically designed to allow outdoor wireless colour change lighting. The box is small and discrete enough to be hidden away, while remaining durable enough to handle all forms of weather.



master 350mA 21W WISERGB BOX 21W

slave 350mA 21W WISERGB BOX21 SL master 350mA 42W

slave 350mA 42W WISERGB BOX42 SL

Wise Wireless Keypac

Wireless keypads can be used to control any of the receivers in the Wise Controls range. The function of the switch, and each of its buttons, depends upon the function of the wireless receiver it is programmed to.



white

WISE INTENSE7 WH

black

WISE INTENSE7 BL

Wise Pod Remote

Wise Pods can be used to control any of the receivers in the Wise Controls range. The function of the switch, and each of its buttons, depends upon the function of the wireless receiver it is programmed to.



7 button remote white WISEPOD7 WHT

7 button remote black WISEPOD7 BLACK

LED Driver (Constant Voltage) 24V

The LEDs must be wired in parallel when using this driver. This driver is not dimmable. It can only be switched. It is strongly recommended that a safety cover or an enclosure is purchased in conjunction with this product, as the live terminals are exposed, causing a possible safety hazard.



25W Drive RS2524

50W Drive **RS5024**

100W Driver RS10024 150W Drive RS15024


320W Driver SP32024

Safety Cover
RS SAFETY COVER

Enclosures


Enclosures are used to protect electrical elements and terminals from weather when installed outside. These enclosures are IP55, secure and hard wearing, making them ideal to house our wise products and drivers.





Large GW44211/B460





Medium GW44210/B380



19 - 23 Lydden Road, Wandsworth, London SW18 4LT United Kingdom

020 8874 2234 | info@mr-resistor.co.uk

www.mr-resistor.co.uk