



MR. RESISTOR[®]
Lighting Specialist Est. 1968



LED PLUG & PLAY

Outdoor Lighting




LED PLUG & PLAY

Outdoor Lighting

With our LED Plug & Play lighting, outdoor lighting has never been as safe or simple to install. The fittings are energy efficient, with a long life and great light in either warm or cool white. All you need to light up your patios, garden or landscape areas is just a little imagination and the Plug & Play garden lighting system.

*LED Plug & Play
Installation Example*





LED PLUG & PLAY

Outdoor Lighting

LED Hood Range 12V

LED Hood 1W **01 - 02**

LED Hood 5W **03 - 04**

LED Hood 8W **05**

LED Wall 5W **06**

LED Ice Range 12V

LED Ice 3W **07**

LED Ice Hood 3W **08**

LED Hood/Ice Accessories



Accessories **09 - 10**

LED Hood 1W


12V 1W 70lm CRI:80 IP65

The LED Hood 1W spikes are ideal for lighting plants, paths, lawns and small trees.

We advise using the 20W driver, with a maximum quantity of 6 fittings per driver.



white, 3000K 30°
LEDHOOD WHT WARM
white, 4000K 30°
LEDHOOD WHITE



black, 3000K 30°
LEDHOOD BLK WARM
black, 3000K 10°
LEDHOOD BLK 10D
black, 4000K 30°
LEDHOOD BLK COOL



green, 30° 3000K
LEDHOOD GRN WARM
green, 30° 4000K
LEDHOOD GREEN
green adjustable, 30° 3000K
LEDHOOD GRN WW 2



aluminium, 3000K 30°
LEDHOOD ALU WARM
aluminium, 4000K 30°
LEDHOOD ALU COOL

For Accessories see [page 09-10](#)

LED Hood Long 1W



12V 1W 70lm CRI:80 IP65

The LED Long Hood 1W spikes are ideal for lighting tall plants and bushes, small trees and in long grass.

We advise using the 20W driver, with a maximum quantity of 6 fittings per driver.



30° BEAM



black, 3000K 30°
LEDHOOD LG BL WW

black, 4000K 30°
LEDHOOD LG BL CW



green, 3000K 30°
LEDHOOD LG GR WW

green, 4000K 30°
LEDHOOD LG GR CW



aluminium, 3000K 30°
LEDHOOD LG AL WW

aluminium, 4000K 30°
LEDHOOD LG AL CW

LED Hood 5W

12V 5W 267lm CRI:80 IP65



The LED Hood 5W spikes are ideal for trees, large plants, paths and lawns.

We advise using the 60W driver, with a maximum quantity of 6 fittings per driver.



23° BEAM

EPISTAR



white, 3000K 23°
LEDHOOD3 BLK WW



green, 3000K 30°
LEDHOOD3 GRN WW



aluminium, 3000K 23°
LEDHOOD3 ALU WW

For Accessories see page 09-10

LED Hood Long 5W

12V 5W 267lm CRI:80 IP65



The LED Hood 5W spikes are ideal for trees, large plants, paths and using in long grass.

We advise using the 60W driver, with a maximum quantity of 6 fittings per driver.



23° BEAM

EPISTAR



black, 3000K 23°
LEDHOOD5 BLK WW



green, 3000K 23°
LEDHOOD5 GRN WW



aluminium, 3000K 23°
LEDHOOD5 ALU WW

LED Hood Large

12V 8W 500lm CRI:80 IP65



The LED Hood 8W spikes are ideal for trees, exteriors of buildings and lawns.

We advise using the 80W driver, with a maximum quantity of 4 fittings per driver.




15° BEAM 30° BEAM

EPISTAR



black, 3000K 15°
LEDFD02401 15D





black, 3000K 30°
LEDFD02401 BL WW

LED Hood Wall 5W


12V 5W 250lm CRI:80 IP65

The LED Hood Wall is designed to be wall mounted or mounted on fencing. It is plug and play making it so simple to install. The head of this wall mounted spotlight can be angled to suit your requirements. It is also glare free.

We advise using the 60W driver, with a maximum quantity of 6 fittings per driver.



black, 3000K 23°
LEDHOODWALL B/WW



black, 4000K 23°
LEDHOODWALL B/NW

LED Ice 3W

12V 3W 150lm CRI:80 IP65



The LED Ice Spike emits a light ideal for highlighting areas of your garden, accent lighting planting and walkways.

We advise using the 60W driver, with a maximum quantity of 6 fittings per driver.




AMBIENT
LIGHT

CREE LEDs



black, 3000K 360°
LEDFD02401 BL WW



black, 4000K 360°
LEDHOODICE B/NW

For Accessories see page 09-10


LED Ice Hood 3W

12V 3W 150lm CRI:80 IP65

The Hooded Ice Spike has a dome for lighting downwards and anti glare. This dome will negate the effects of light pollution.

The LED Ice Hood 3W spikes are ideal for lighting pathways and planting.

We advise using the 60W driver, with a maximum quantity of 6 fittings per driver.



black, 3000K 360°
LEDHOODICE HR/WW


LED Hood / Ice Accessories

Hood 10m Cable 6 Point 12V

A 10 metre lead with 6 points positioned every 1.6 metres for the Hood and Stem range of fittings. A cap or fitting must be in place for the IP54 rating.



6 point
LEDHOOD CABLE 3




Hood 3m Cable 3 Point Hub 12V

A 3 metre lead with 3 points for the Hood and Stem range of fittings. Important, a cap or fitting must be in place for the IP54 rating.



3 point
LEDHOOD CABLE 1




Hood 10m Cable 6 Point Hub 12V

A 10 metre lead with 6 points for the Hood and Stem range of fittings. A cap or fitting must be in place for the IP54 rating.



6 point
LEDHOOD CABLE 2



Hood/Stem Driver 12V

The Hood/Stem Driver is a IP64 rated driver for the Stem and Hood range of fittings. The plug and play element to this range simplifies installation.




20W
LEDHOOD TF12/20


60W
LEDHOOD TF12/60

80W
LEDHOOD TF12/80

20w Driver



60w Driver



80w Driver




Table to show Max number of fittings for each driver

Driver Wattage	Fitting Wattage			
	1W	3W	5W	8W
20W	6	3	2	1
60W	6	6	6	3
80W	6	6	6	4

020 8874 2234 | info@mr-resistor.co.uk

19 - 23 Lydden Road, Wandsworth, London, SW18 4LT

www.mr-resistor.co.uk