

# CLASSIC OUTDOOR

Lighting Catalogue



**MR. RESISTOR®**  
Lighting Specialist Est. 1968











# CLASSIC OUTDOOR

Stylish Outdoor Lighting

---

## Smooth Range 240V

Pillar Lights	<b>02</b>	Spotlights	<b>05</b>
Spike Lights	<b>08</b>	Bollards	<b>11</b>
Downlights	<b>13</b>	Accessories	<b>15</b>

---

## Smooth Range 12V

Pillar Lights	<b>16</b>	Spike Lights	<b>18</b>
Accessories	<b>19</b>		

---

## Pillar Box Range

Pillar Lights	<b>21</b>	Accessories	<b>22</b>
---------------	-----------	-------------	-----------

---

## Miniature Range

Pillar Lights	<b>25</b>	Spotlights	<b>27</b>
Uplights	<b>28</b>	Low Level	<b>29</b>
Accessories	<b>30</b>		





# SMOOTH


Stylish Outdoor Lighting



# Smooth Pillar Up & Down

240V GU10 2 x 35W IP65

Suitable for location on any exterior wall. Both the upward and downward light create two way wall washing ideal for producing a feature around doors or along pathways.



white  
ZT034H-GU10 WHT



black  
ZT034H-GU10 BLK



marine 316 stainless steel  
ZT054H-GU10 SS



copper  
ZT044H-GU10 COP


lacquered copper  
(protects from oxidation)  
ZT084H P/COPPER



# Smooth Pillar Down

240V GU10 35W IP65

Suitable for location on any exterior wall. It can be mounted either upwards or downwards for one way wall washing ideal for producing a feature around doors or along pathways.



white  
ZT036H-GU10 WHT



black  
ZT036H-GU10 BLK



marine 316 stainless steel  
ZT056H-GU10 SS



copper  
ZT046H-GU10 COP

lacquered copper  
(protects from oxidation)  
ZT086H P/COPPER




# Smooth Pillar Double

240V GU10 4 x 35W IP54



Suitable for location on any exterior wall. Both the upward and downward light create two way wall washing ideal for producing a feature around doors or along pathways.



white  
ZT3347S2 WHIT



black  
ZT3347S2 BLK



marine 316 stainless steel  
ZT3347S2 SS





# Smooth Spotlight

240V GU10 35W IP65



Suitable for location on any exterior wall. It can be mounted either upwards or downwards for one way wall washing. This adjustable version allows the fitting to be tilted so that the beam of light can be precisely controlled.



white  
ZT035H-GU10 WHT



black  
ZT035H-GU10 BLK



marine 316 stainless steel  
ZT055H-GU10 SS



copper  
ZT045H-GU10 COP

lacquered copper  
(protects from oxidation)  
ZT085H P/COPPER

For Accessories see **page 15**




# Smooth Double Spotlight

240V GU10 2 x 35W IP65



Suitable for location on any exterior wall. It can be mounted either upwards or downwards for one way wall washing ideal for producing a feature around doors or along pathways. This adjustable version allows the fitting to be tilted so that the beam of light can be precisely controlled.



white  
ZT3344 GU10 WHT



black  
ZT3344 GU10 BLK



marine 316 stainless steel  
ZT3344 GU10 SS




# Smooth Fixed Spotlight

240V GU10 50W IP65



Ideally suited for lighting the exterior of a building mounted on the ceiling, ground or window sill. It can be mounted downwards or upwards.



black  
ZT051H2-GU10 BLK



marine 316 stainless steel  
ZT051H2-GU10 SS




# Smooth Hood Spike

240V GU10 35W IP65




Suitable for location in any soft ground. It is ideal for lighting, plants flowers and up-lighting trees. It can be tilted so that the beam of light can be precisely controlled. The hood on these spikes help reduce glare from the light source.

Extension Rod for a taller spike is available  
code : ZT EXT ROD50



white  
ZT031H5+COWL WHT



black  
ZT031H5+COWL BLK



marine 316 stainless steel  
ZT051H5 SS GU10




# Smooth Spike

240V GU10 35W IP65



Suitable for location in any soft ground. It is ideal for lighting, plants flowers and up-lighting trees. It can be tilted so that the beam of light can be precisely controlled.

Extension Rod for a taller spike is available  
code : ZT EXT ROD50



white  
ZT031H-GU10 WHT



black  
ZT031H-GU10 BLK




marine 316 stainless steel  
ZT051H-GU10 SS




copper  
ZT041H-GU10 COP

# Smooth Long Spike

240V GU10 50W IP65




Ideal for illumination of the ground, pathways, driveways and walls. It can be tilted so that the beam of light can be precisely controlled.



black  
ZT3258 BLK 914MM



marine 316 stainless steel  
ZT3258 SS 914MM





copper  
ZT3258 COP 914MM



# Smooth Bollard

240V GU10 50W IP65


Ideal for illumination of pathways, driveways and walls. The fitting can be mounted on the ground or on the wall. They can also be used for lighting signs if wall mounted.



black  
ZT3258 BLK 645MM



marine 316 stainless steel  
ZT3258 SS 645MM





copper  
ZT3258 COP 645MM


# Smooth Bollard Double

240V GU10 2 x 35W IP65


Ideal for illumination of pathways, driveways and walls. The fitting can be mounted on the ground or on the wall. They can also be used for lighting signs if wall mounted.



black  
ZT3258D BK 645MM



marine 316 stainless steel  
ZT3258D SS 645MM



copper  
ZT3258D CP 645MM




# Smooth Downlight Adjustable

240V GU10 50W IP20



Ideal for lighting porches, summer houses and canopies. The downlight is fully adjustable. Its inner and middle ring tilt through 30° and rotate through 350° respectively. A combination that allows you full control over the direction of the light source.



marine 316 stainless steel  
ZQ0535SS-GU10


For Accessories see **page 15**

# Smooth Downlight Adjustable

240V GU10 50W IP54



Ideal for lighting porches, summer houses and canopies. The downlight is sealed for protection from water and dust. Made from quality marine 316 steel, these are ideal for outdoor use.



marine 316 stainless steel  
ZQ312SS -GU10



# Smooth 240V Accessories

## Long Hood

The Long Hood is designed specifically for the Smooth range of outdoor light fittings. The longer hood allows extra room for the LED GU10 High Brightness range of lamps to be fitted.



white  
ZTLN COWL WHITE



black  
ZTLN COWL BLACK



marine 316 stainless steel  
ZTLN COWL STEEL

## LED Lamps



### GU10 LED 6W

- Switching
- Compact
- 420lm
- Halogen Equivalent = 50W

24° 3000K  
LEDPUPPYGU10W24D

45° 3000K  
LEDPUPPYGU10W45D



### GU10 LED Reality 7W

Long Hood required when using these lamps with smooth range

- Dimmable
- Cree LED
- 630lm
- Halogen Equivalent = 75W

24° 2700K  
REAL GU10D INT24

45° 2700K  
REAL GU10D INT45

24° 3000K  
REAL GU10D 24D

45° 3000K  
REAL GU10D 45D

24° 4000K  
REAL GU10D CW24

45° 4000K  
REAL GU10D CW45


# Smooth Pillar Up & Down

Low Voltage 12V MR16 2 x 35W IP65



Suitable for location on any exterior wall. Both the upward and downward light create two way wall washing ideal for producing a feature around doors or walls. Low voltage, suitable for use around pools.

Please note : Requires remote transformer/driver



marine 316 stainless steel  
ZT054H-12V SS




# Smooth Pillar Down

Low Voltage 12V MR16 35W IP65

Suitable for location on any exterior wall. It can be mounted either upwards or downwards for one way wall washing ideal for producing a feature around doors or along pathways. Low voltage, suitable for use around pools.

Please note : Requires remote transformer/driver



marine 316 stainless steel  
ZT056H 12V SS

For Accessories see **page 19**


# Smooth Spike 12v

12V MR16 35W IP44



The Spike Spot 12V has a rating of IP44. It has a spike to mount the fitting in the ground. It requires a low voltage transformer.

Please note : Requires remote transformer/driver



black  
ZT031H BLACK 12V



marine 316 stainless steel  
ZT051H-12V SS



copper  
ZT041H-12V COP



# Smooth 12V Accessories

## LED Lamps



## Reality MR16 LED 7W

These LED lamps are compatible with the Smooth Pillar lights 12V, not the Smooth Spike 12V.

- Switching
- Compact
- 630lm
- Halogen Equivalent = 75W

24° 3000K  
REALMR1624D WW

45° 3000K  
REALMR1660D WW

60° 4000K  
REALMR1660D CW

## LED Drivers

These drivers are designed to work in conjunction with the LED lamps above.



### Dimming

12V, 8W  
DIMDRIV2 12V 8W

12V, 15W  
DIMDRIV2 12V 15W



# PILLAR BOX


Stylish Outdoor Lighting



# Pillar Box Up & Down

240V GU10 35W IP65

Suitable for location on any exterior wall. Both the upward and downward light create two way wall washing ideal for producing a feature around doors or along pathways.



white  
ZT3332 WHITE SQ



black  
ZT3332 BLACK SQ




marine 316 stainless steel  
ZT3332S SS SQ



# Pillar Box Down

240V GU10 35W IP65

Suitable for location on any exterior wall. It can be mounted either upwards or downwards for one way wall washing ideal for producing a feature around doors or along pathways.



white  
ZT3345 WHITE SQ



black  
ZT3345 BLACK SQ



marine 316 stainless steel  
ZT3345S SS SQ

# Pillar Box Accessories

## LED Lamps



### GU10 LED 6W

- Switching
- Compact
- 420lm
- Halogen Equivalent = 50W

24° 3000K  
LEDPUPPYGU10W24D

45° 3000K  
LEDPUPPYGU10W45D





# LED MINIATURE

Stylish Outdoor Lighting




# LED Miniature Up & Down

240V LED 2W IP65



The LED Miniature Pillar is a small surface mounted light using two 1 watt LEDs, providing 50,000 hours of life. Both the upward and downward light create two way wall washing. ideal for lighting doorways, small statues and garden features.



marine 316 stainless steel  
warm white

ZT2088SBT W/WHIT

marine 316 stainless steel  
blue

ZT2088SBT BLUE


For Accessories see **page 30**

# LED Miniature Down

240V LED 1W IP65



The LED Miniature Down Pillar is a small surface mounted light using a 1 watt LED, providing 50,000 hours of life. It can be mounted either upwards or downwards for one way wall washing. ideal for lighting doorways, small statues and garden features.



marine 316 stainless steel  
warm white

ZT2087SBT W/WH

marine 316 stainless steel  
blue

ZT2087SBT BLUE



For Accessories see **page 30**

# LED Miniature Spotlight

240V LED 1W IP65



The LED Miniature Adjustable Spot is a small surface mounted light using a 1 watt LEDs, providing 50,000 hours of life. Fully adjustable. It can be mounted either upwards or downwards for one way wall washing. Ideal for lighting doorways, small statues and garden features.



marine 316 stainless steel  
warm white

ZT2075SBT W/WH

marine 316 stainless steel  
blue


ZT2075SBT BLUE

For Accessories see **page 30**







# LED Miniature Uplight

350mA LED 1W IP65




The Smooth Fixed Round Uplighter 240V is a small recessed uplighter suitable for indoor or outdoor use. It is ideal for up-lighting walls, decking, driveways and more.

Please note: this product requires a 350mA driver and must be wired in series.



316 marine stainless steel  
warm white  
ZT2099SS W/WH



marine 316 stainless steel  
warm white  
ZT2099QSS W/WH

316 marine stainless steel  
blue  
ZT2099SS BLUE

marine 316 stainless steel  
blue  
ZT2099QSS BLUE

For Accessories see **page 30**


# LED Miniature Eyelid

350mA LED 1W IP65



The LED Miniature Eyelid is a small recessed wall light. It is ideal for lighting steps, walkways, decking and driveways.

Please note: this product requires a 350mA driver and must be wired in series.



316 marine stainless steel  
warm white

ZT20935 SS W/WH

316 marine stainless steel  
blue

ZT20935 SS BLUE

For Accessories see **page 30**

# LED Miniature Accessories

## Frosted Filter

Frosted Glass Accessory for the Miniature Round and Square LED recessed uplights.



frosted glass  
ZT2099 GLASS/FR

## LED Drivers

For use with the LED Miniature Eyelid and LED Miniature Uplights.



### Switching

350mA, 8W  
BULL 350MA 8W

350mA, 15W  
DC350MA 15W

350mA, 18W  
LED18W 350



### Dimming

350mA, 25W  
DCMULTI MD 25W

350mA, 15W  
DCMULTI MD 15W









19 - 23 Lydden Road,  
Wandsworth,  
London SW18 4LT  
United Kingdom

020 8874 2234 | [info@mr-resistor.co.uk](mailto:info@mr-resistor.co.uk)

---

[www.mr-resistor.co.uk](http://www.mr-resistor.co.uk)