



**MR. RESISTOR®**

Lighting Specialist Est. 1968

Floor & Table Lights





**MR. RESISTOR®**

Lighting Specialist Est. 1968

Floor & Table Lights



**Park Lane Table**  
table light

- The Park Lane Table contemporary fitting is completely customisable, mix and match from a choice of three finishes and two shade colours.
- Please note that the shade is available and purchased separately to allow you to mix and match.

Lampholder	<b>E27</b>
Maximum Wattage	<b>60W</b>
Height	<b>525mm</b>
Width	<b>285mm</b>
Depth	<b>145mm</b>
IP Rating	<b>IP00</b>
Voltage	<b>240V</b>

**Accessories**

PARKLANE 4003 BLACK	Park Lane Shade Black Square
PARKLANE 4001 WHITE	Park Lane Shade White Square
GLS60E	Opal ES (Edison Screw) Pearl 60W (Required)
ECO GLS 42WES	ECO Lamp 42W (=60W) E27



**Available Finishes**

- bronze (PARKLANE 4504 BR)
- brushed nickel (PARKLANE 4516 BN)
- polished nickel (PARKLANE 4505 PN)



**Glo-Ball T1**  
table light

- The glo-ball lamp providing diffused light. Diffuser made of an externally acid-etched, hand blown, flashed opaline glass.

Lampholder	<b>E27</b>
Maximum Wattage	<b>150w</b>
Height	<b>600mm</b>
Width	<b>240mm</b>
Shade Diameter	<b>330mm</b>
IP Rating	<b>IP40</b>
Voltage	<b>240V</b>

**Accessories**

GLS150C	Clear ES (Edison Screw) Clear 100W
ECO GLS70W ES	ECO Lamp 70W (=100W) E27

**Available Finishes**

- clear (GLO-BALL T1)



**KTribe T2**  
table light

- When the Flos K-Tribe F1 aluminium or bronze diffuser is turned off, the diffuser is opaque, when it is turned on the diffuser becomes transparent.

Lampholder	<b>E27</b>
Maximum Wattage	<b>150W</b>
Fitting Height	<b>690mm</b>
Base Width	<b>250mm x 250mm</b>
Shade Diameter	<b>395mm</b>
Voltage	<b>240V</b>

**Accessories**

GLS150C	Clear ES (Edison Screw) Clear 100W
ECO GLS70W ES	ECO Lamp 70W (=100W) E27

**Available Finishes**

- silver (KTRIBE T2 SILVER)
- transparent (KTRIBE T2 TRANSP)
- bronze (KTRIBE T2 BRONZE)
- fabric (KTRIBE T2 FABRIC)



**Light Eye Chrome 75W**  
floor/table light

- The Light Eye is a modern eye catching table/floor lamp. Constructed from aluminium and finished in a silver grey finish.
- The fitting has a rectangle switch with slide dimmer to adjust the brightness of light. The toughened design allows this to be located on both a table or floor for hand or foot operation.

Lampholder	<b>GU10 / ES111</b>
Maximum Wattage	<b>75W</b>
Height	<b>190mm</b>
Head Diameter	<b>145mm</b>
Cable Length	<b>2000mm</b>
Vertical Tilt	<b>90°</b>
IP Rating	<b>IP00</b>
Voltage	<b>240V</b>
Weight	<b>0.9Kg</b>

**Accessories**

PAR16F GE *20W*	Halogen GU10 50mm 20W 36°
PAR16F GE *35W*	Halogen GU10 50mm 35W 36°
ES111F	Halogen PAR111 GU10 75W 24°



**Available Finishes**

- chrome (I132862 CHROME)



**Daves Uni Silver Grey 50W**  
floor/table light

- The Daves Uni is a modern eye catching table/floor lamp, constructed from aluminium and finished in a silver grey finish.
- The fitting has a rectangle switch with slide dimmer to adjust the brightness of light. The toughened design allows this to be located on both a table or floor for hand or foot operation.

Lampholder	<b>G53</b>
Maximum Wattage	<b>50W</b>
Height	<b>200mm</b>
Width	<b>170mm</b>
Depth	<b>110mm</b>
Cable Length	<b>2500mm</b>
Voltage	<b>240V</b>
Weight	<b>0.85Kg</b>

**Accessories**

M161 GE	AR111 Bar Lamp (G53) 50W 24°
---------	------------------------------



**Available Finishes**

- Silver Grey (I132822 SILVER)



**Rock Table**  
floor/table light

- The Rock Table is a 20W GU10 mains voltage table lamp.
- This fitting is unswitched. A 2 Core In-Line Switch can be purchased separately and wired to the fitting for on/off control.

Lampholder	<b>GU10</b>
Maximum Wattage	<b>20W</b>
Height	<b>110mm</b>
Width	<b>78mm</b>
Depth	<b>78mm</b>
Cable Length	<b>3000mm</b>
Vertical Tilt	<b>30°</b>
IP Rating	<b>IP20</b>
Voltage	<b>240V</b>

**Accessories**

PAR16F GE *20W*	Halogen GU10 50mm 20W 36°
101 WHITE	2 Core In-Line Switch 2A White



**Available Finishes**

- Nickel (ROCK TABLE NICKL)
- White (ROCK TABLE WHITE)



**Can Uplight**  
floor uplight

- The Can uplighter is a 60W mains voltage uplighter.
- This fitting is unswitched. A 2 Core In-Line Switch can be purchased separately and wired to the fitting for on/off control.

Lampholder	<b>E27</b>	<b>ES</b>
Maximum Wattage	<b>60w</b>	<b>150w</b>
Height	<b>170mm</b>	<b>200mm</b>
Diameter	<b>90mm</b>	<b>130mm</b>
Base Diameter	<b>130mm</b>	<b>130mm</b>
Voltage	<b>240V</b>	<b>240V</b>

**Accessories Small**

GLS60E	Clear ES (Edison Screw) Clear 60W
--------	-----------------------------------

**Accessories Large**

PAR38100S	100W Halogen Spot
PAR3860S	60W Halogen Spot



**Available Finishes**

- black small (DUS604)
- black large (DUS1504)
- white small (DUS601)
- white large (DUS1501)
- brass small (DUS603)
- brass large (DUS1503)



**Minispot**  
table light

- The Minispot spotlight can be either used as a table light or be mounted to a surface.
- The light ball is magnetic enabling you to angle in any direction you wish via the magnet on the base.

Lampholder	<b>GU5.3</b>
Maximum Wattage	<b>20W</b>
Diameter of Ball	<b>70mm</b>
Width of Base	<b>75mm</b>
Height of Base	<b>75mm</b>
Cable Length	<b>2000mm</b>
Angle of Illumination	<b>10°</b>
Voltage	<b>12V</b>

**Accessories**

M269	12V 20W 40D 5000HR CONSTANT
------	-----------------------------



**Available Finishes**

- white (41601 WHITE)
- black (41601 BLACK)





Maxispot table light

- The Maxispot is a table lamp with a vertical and horizontal tilt, enabling the spot to be directed wherever you please.
- The fitting has a powerful light and is switched.

Lampholder	GU10
Maximum Wattage	50W
Length	165mm
Width	68mm
Height	115mm
Vertical Tilt	90°
Horizontal Tilt	27°
Voltage	240V

Accessories

PAR16F GE	240V 50W 36° GU10
PAR16F SUPERIA50	240V 50W 50° GU10

Available Finishes

- white (43697 WHITE)
- black (43697 BLACK)



Park Lane Floor floor light

- The Park Lane Floor contemporary fitting is completely customisable. You can mix and match from a choice of three finishes and two shade colours.
- Please note that the shade is available and purchased separately to allow you to mix and match.

Lampholder	E27
Maximum Wattage	60W
Height	1500mm
Width	400mm
Depth	225mm
IP Rating	IP00
Voltage	240V

Accessories

PARKLANE 4003 BLACK	Park Lane Shade Black Square
PARKLANE 4001 WHITE	Park Lane Shade White Square

ECO GLS 42WES	ECO Lamp 42W (=60W) E27
---------------	-------------------------



Available Finishes

- bronze (PARKLANE 4506 BR)
- brushed nickel (PARKLANE 4517 BN)
- polished nickel (PARKLANE 4507 PN)



Arco Floor Stand floor light

- The Arco is a classic designer floor lamp that provides a direct light and consists of solid white Carrara marble base and satin-finish stainless steel telescopic stem.
- This fitting can be swivelled and is also height adjustable. Can take up to 100W Edison Screw lamp.

Lampholder	E27
Max Wattage	100W
Width	2200mm Max
Height	2500mm Max
Voltage	240V
Weight	65.9kg

Accessories

ECO GLS70W ES	ECO Lamp 70W (=100W) E27
---------------	--------------------------



Available Finishes

- stainless steel (ARCO)



Isabel floor light

- Stunning decorative floor lamp. Light sparkling through glass tears, surrounded by a fabric shade, gives a beautiful ambient effect.

Lampholder	G9
Maximum Wattage	5 x 40W
Height	1640mm
Diameter	380mm
Voltage	240V

Accessories

HP40C	Clear Capsule Lamp 240V Clear 40W / 40mm
HP40F	Frosted Capsule Lamp 240V Frosted 40W / 40mm



Available Finishes

- black (3678/30/20)



Moon Floor Stand floor light

- The Moon Floor Stand is available in fixed or adjustable height versions.
- This fitting has a powerful light source and is available in 4 finishes.

Lampholder	R7s	R7s
Max Wattage	300W	300W
Width	250mm	250mm
Height	1835mm	1100-1815mm
Voltage	240V	240V

Accessories

ECO THL200 IR GE	117mm Energy Saving Linear Halogen Lamp 200W (=300W) 240V
------------------	---



Available Finishes

- white single (ART1481W)
- white adj (ART148TLXW)
- black single (ART1481B)
- black adj (ART148TLXB)
- brass single (ART1481BR)
- brass adj (ART148TLXBR)
- chrome single (ART148TLXC)



Rock Table floor/table light

- The Billy Baldwin range are classic and stylish mains voltage floor stands.
- This fitting comes in either flood or shade versions and either fixed or adjustable.

Lampholder	Hood BC	Fixed Shade BC	Adjust Shade BC
Max Wattage	60W	60W	60W
Height	101cm - 140cm	146cm	135cm - 182cm
Projection	50cm	47cm	47cm
Voltage	240V	240V	240V

Accessories

ECO GLS 42WBC	ECO Lamp 42W (=60W) BC
---------------	------------------------



Available Finishes

- brass hood (AFHD2BR)
- brass shade (AFD3BR)
- brass adj shade (AFD1BR)
- chrome hood (AFHD2CR)
- chrome shade (AFD3CR)
- chrome adj shade (AFD1CR)
- nickel hood (AFHD2BN)
- nickel shade (AFD3BN)
- nickel adj shade (AFD1BN)



KTribe F1 table light

- The Ktribe floor lamp provides a low glare light source in a modern design.
- The diffuser is available in either aluminised silver or aluminised bronze. When the Flos K-Tribe F1 aluminium or bronze diffuser is turned off, the diffuser is opaque, when it is turned on the diffuser becomes transparent.

Lampholder	E27
Max Wattage	70W
Fitting Height	1120mm
Base Width	250mm x 250mm
Shade Diameter	240mm
Voltage	240V

Accessories

ECO GLS70W ES	ECO Lamp 70W (=100W) E27
---------------	--------------------------



Available Finishes

- silver (KTRIBE F1 SILVER)
- transparent (KTRIBE F1 TRANSP)
- bronze (KTRIBE F1 BRONZE)
- fabric (KTRIBE F1 FABRIC)



KTribe F2 table light

- The Ktribe floor lamp provides a low glare light source in a modern design.
- The diffuser is available in either aluminised silver or aluminised bronze. When the Flos K-Tribe F2 & F3 aluminium or bronze diffuser is turned off, the diffuser is opaque, when it is turned on the diffuser becomes transparent.

Lampholder	F2	F3
Max Wattage	150W	230W
Fitting Height	1620mm	1830mm
Base Width	290mm	400mm
Shade Diameter	395mm	550mm
Voltage	240V	240V

Accessories

ECO GLS70W ES	ECO Lamp 70W (=100W) E27
---------------	--------------------------



Available Finishes

- silver F2(KTRIBE F2 SILVER)
- silver F3(KTRIBE F3 SILVER)
- clear F2(KTRIBE F2 TRANSP)
- clear F3(KTRIBE F3 TRANSP)
- bronze F2(KTRIBE F2 BRONZE)
- bronze F3(KTRIBE F3 BRONZE)
- fabric F2(KTRIBE F2 FABRIC)
- fabric F3(KTRIBE F3 FABRIC)